

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS &amp; REQUESTS, CALL:

1-800-654-6911 (OUTSIDE  
USA: 1-423-780-2970)1-800-424-9300 (OUTSIDE  
USA: 1-703-527-3887)1-800-511-MSDS (OUTSIDE  
USA: 1-423-780-2347)**PRODUCT NAME: QUANTUM STICKS****1. PRODUCT AND COMPANY IDENTIFICATION****Supplier****Quantum Biochemical  
1400 Bluegrass Lakes Parkway ,  
Alpharetta, GA, 30004  
United States****Telephone: +17705215999****Telefax: +17705215959****Web: www.poospacare.com**

REVISION DATE:

10/12/2011

SUPERCEDES:

12/02/2010

MSDS Number:

000000012616

SYNONYMS:

Trichloroisocyanuric Acid, TCCA,  
Trichlor

CHEMICAL FAMILY:

None

DESCRIPTION / USE

None established

FORMULA:

None established

**Manufacturer****Advantis Technologies  
1400 Bluegrass Lakes Parkway  
Alpharetta, GA 30004  
United States of America****2. HAZARDS IDENTIFICATION**OSHA Hazard  
Classification:**Corrosive to eyes and skin, Lung toxin, Toxic by ingestion, Toxic by  
inhalation (dust)., Oxidizer**

Routes of Entry:

Inhalation, skin, eyes, ingestion

Chemical Interactions:

No known or reported interactions.

Medical Conditions Aggravated:

Asthma, respiratory and cardiovascular disease

Human Threshold Response Data

Odor Threshold                      Not established for product.

Irritation Threshold                Not established for product.

**Hazardous Materials Identification System / National Fire Protection Association Classifications**

<u>Hazard Ratings :</u>	<u>Health</u>	<u>Flammability</u>	<u>Physical / Instability</u>	<u>PPI / Special hazard.</u>
HMIS	3	0	2	
NFPA	2	0	2	Oxidizer

Immediate (Acute) Health Effects

Inhalation Toxicity:	This product in the form of solid tablets is not an inhalation hazard. However, if dust is created and inhaled, inhalation of this material in dust or vapor form is irritating to the nose, mouth, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage. Toxic by inhalation (dust).
Skin Toxicity:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS. Dermal exposure to dry material causes moderate skin irritation characterized by redness and swelling. Dermal exposure to wet material can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent damage.
Eye Toxicity:	CAUSES BURNS TO EYES. Severe irritation and/or burns can occur following eye exposure. Direct contact may cause impairment of vision and corneal damage.
Ingestion Toxicity:	Toxic if swallowed. CAUSES BURNS TO DIGESTIVE TRACT. Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding, and/or tissue ulceration. Ingestion may cause severe damage to the gastrointestinal tract with the potential to cause perforation.
Acute Target Organ Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract., The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Prolonged (Chronic) Health Effects

Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.
------------------	--------------------------------------------------------------------------------------------------------------------

Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.
Inhalation:	There are no known or reported effects from chronic exposure except for effects similar to those experienced from acute exposure.
Skin Contact:	Effects similar to those from acute exposure. In addition, chronic exposure to wet material may cause effects secondary to tissue destruction.
Ingestion:	There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure. The acute corrosivity of this product, makes chronic ingestion of significant amounts unlikely.
Sensitization:	This material tested negative for skin sensitization in animals.
Chronic Target Organ Toxicity:	There are no known or reported target organ effects from chronic exposure., Toxicological investigation indicates it does not produce significant effects from chronic exposure.
Supplemental Health Hazard Information :	No additional health information available.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
TRICHLORO-S-TRIAZINETRIONE	87-90-1	

### 4. FIRST AID MEASURES

---

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

## 5. FIRE FIGHTING MEASURES

---

Flammability Summary (OSHA): Product is not known to be flammable, combustible or pyrophoric., NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1 Oxidizer

Flammable Properties

Flash Point: not applicable

Autoignition Temperature: not applicable

Fire / Explosion Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Closed containers may explode (due to the build up of steam pressure) when exposed to extreme heat.

Extinguishing Media: Water only.

Fire Fighting Instructions: Use water to cool containers exposed to fire. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished. Do not use dry extinguishers containing ammonium compounds.

Upper Flammable / Explosive Limit, % in air: Not applicable

Lower Flammable / Explosive Limit, % in air: Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

---

Personal Protection for Emergency Situations: Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment. Compatible materials for response to this material are: neoprene. Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Spill Mitigation Procedures

Air Release: Vapors may be suppressed by the use of water fog.

**Water Release:** This material is heavier than water. This material is soluble in water. Stop water flow or divert water flow around spill if possible and safe to do so. Begin monitoring for available chlorine and pH immediately.

**Land Release:** Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

**Additional Spill Information :** FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: Not Applicable (Per 40 CFR 302.4) Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. If material is wet, contact 1-800-654-6911 for proper stabilization procedures. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure.

## **7. HANDLING AND STORAGE**

---

**Handling:** Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing dust, mist, vapor or gas.

**Storage:** Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed. Avoid creating dusts.

**Shelf Life Limitations:** Indefinite. Available chlorine loss can be as little as 0.1% per year at ambient temperatures.

**Incompatible Materials for Storage:** Organic materials, Reducing agents, nitrogen containing materials, oxidizers, Acids, Bases, (Incompatible materials for packaging: paper, cardboard)

**Do Not Store At temperatures Above:** 60 °C

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

**Ventilation:** Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

### Protective Equipment for Routine Use of Product

QUANTUM STICKS

REVISION DATE : 10/12/2011

Page 5 of 12

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye Protection: Use chemical goggles.

Protective Clothing Type: Nitrile, Natural rubber, Neoprene (This includes: gloves, boots, apron, protective suit)

General Protective Measures: An eye wash and safety shower should be provided in the immediate work area.

#### Exposure Limit Data

CHEMICAL NAME	CAS #	Name of Limit	Exposure
TRICHLORO-S-TRIAZINETRIONE	87-90-1	ARCH-ROEG*	0.5 mg/m <sup>3</sup> TWA

\*ARCH-ROEG: Arch Recommended Occupational Exposure Guideline.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	solid
Form	solid
Color:	white
Odor:	Sharp, chlorine-like, bleach odor
Molecular Weight:	232.41 Gm
Specific Gravity :	> 1
	20 °C
pH :	2.7 - 3.2
	10 g/l (as aqueous solution)
Boiling Point:	not applicable
Freezing Point:	no data available
Melting Point:	no data available
Density:	1.6 - 1.9 g/cm <sup>3</sup>
Bulk Density:	1,160 - 1,900 kg/m <sup>3</sup>
Vapor Pressure:	no data available
Vapor Density:	not applicable
Viscosity:	not applicable no data available
Solubility in Water:	12 g/l
	25 °C

Partition coefficient n-octanol/water:	Not available.
Evaporation Rate:	not applicable
Oxidizing:	None established
Volatiles, % by vol.:	not applicable
VOC Content	not applicable
HAP Content	Not applicable

## 10. STABILITY AND REACTIVITY

---

Stability and Reactivity Summary:	May be unstable at temperatures above 225 Deg. C (437 Deg. F), Not sensitive to mechanical shock., Not sensitive to static discharge., Hazardous polymerisation does not occur., Product is an oxidizer.
Conditions to Avoid:	Sparks, open flame, other ignition sources, and elevated temperatures., Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes., Damp or slightly wet product (will evolve nitrogen trichloride), May be unstable at temperatures above 225 Deg. C (437 Deg. F)
Chemical Incompatibility:	organic materials, Oils, Grease, Sawdust, Reducing agents, nitrogen-containing compounds, oxidizers, acids, Bases, Dry fire extinguishers containing ammonium compounds
Hazardous Decomposition Products:	Nitrogen trichloride, Chlorine, nitrous oxides, cyanates, Carbon monoxide, Carbon dioxide
Decomposition Temperature:	225 °C

## 11. TOXICOLOGICAL INFORMATION

---

### Component Animal Toxicology

#### Oral LD50 value:

TRICHLORO-S-  
TRIAZINETRIONE      LD50 = 490 mg/kg    Rat

### Component Animal Toxicology

#### Dermal LD50 value:

TRICHLORO-S-  
TRIAZINETRIONE      LD50 > 2,000 mg/kg    Rabbit

### Component Animal Toxicology

#### Inhalation LC50 value:

TRICHLORO-S-      LC50 1 h (aerosol dust), (Nose Only) Approximately 2.16 MG/L    Rat

TRIAZINETRIONE  
TRICHLORO-S-  
TRIAZINETRIONE

LC50 4 h (aerosol dust), (Nose Only) Approximately 0.54 MG/L Rat

Product Animal Toxicity

Oral LD50 value: LD50 = 490 mg/kg rat

Dermal LD50 value: LD50 > 2,000 mg/kg rabbit

Inhalation LC50 value: LC50 4 h (aerosol dust), (Nose Only) Approximately 0.54 mg/l rat LC50 1 h (aerosol dust), (Nose Only) Approximately 2.16 mg/l rat

**Skin Irritation:** DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.

**Eye Irritation:** Corrosive to eyes.

**Skin Sensitization:** Negative skin sensitizer, guinea pig - Buehler Method

**Acute Toxicity:** This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

**Subchronic / Chronic Toxicity:** There are no known or reported effects from repeated exposure., Toxicological investigation indicates it does not produce significant effects from chronic exposure.

**Reproductive and Developmental Toxicity:** Not known or reported to cause reproductive or developmental toxicity.

TRICHLORO-S-TRIAZINETRIONE

Not known or reported to cause reproductive or developmental toxicity. A similar product has been tested and it did not produce teratogenic or fetotoxic effects in laboratory animals.

**Mutagenicity:** This product was determined to be non-mutagenic in the Ames assay.

TRICHLORO-S-TRIAZINETRIONE

This product was determined to be non-mutagenic in the Ames assay.

**Carcinogenicity:** This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

TRICHLORO-S-TRIAZINETRIONE

This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

## 12. ECOLOGICAL INFORMATION

**Overview:** Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

QUANTUM STICKS

REVISION DATE : 10/12/2011

Page 8 of 12



Rainbow trout ( <i>Salmo gairdneri</i> ),	-	96 h LC50 0.32 mg/l
Bluegill sunfish	-	96 h LC50 0.30 mg/l
Daphnia magna,	-	48 h LC50 0.21 mg/l
Mallard duck	-	8 DAYS Dietary LC50 > 10,000 ppm
Mallard duck	-	Acute Oral LD50 1,600 mg/kg
Bobwhite quail	-	8 DAYS Dietary LC50 7,422 ppm

#### Ecological Toxicity Values for: TRICHLORO-S-TRIAZINETRIONE

Rainbow trout ( <i>Salmo gairdneri</i> ),	-	96 h LC50 0.32 mg/l
Bluegill sunfish	-	96 h LC50 0.30 mg/l
Daphnia magna,	-	48 h LC50 0.21 mg/l
Mallard duck	-	8 DAYS Dietary LC50 > 10,000 ppm
Mallard duck	-	Acute Oral LD50 1,600 mg/kg
Bobwhite quail	-	8 DAYS Dietary LC50 7,422 ppm

### 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.

Disposal Methods : As a hazardous solid waste, it must be disposed of in accordance with local, state and federal regulations.

### 14. TRANSPORT INFORMATION

Land (US DOT):	UN2468	TRICHLOROISOCYANURIC ACID DRY	5.1	II	
Water (IMDG):	UN2468	TRICHLOROISOCYANURIC ACID DRY, 5.1	II		MARINE

QUANTUM STICKS

REVISION DATE : 10/12/2011

Page 9 of 12

**POLLUTANT**

Air (IATA): UN2468 TRICHLOROISOCYANURIC ACID DRY, 5.1 II  
Emergency Response Guide Number: ERG # 140

Transportation Notes: Material is not regulated as a marine pollutant for ground transportation within the US if shipped in non-bulk packages.

EMS: F-A, S-Q

**15. REGULATORY INFORMATION**

---

**UNITED STATES:**

Toxic Substances Control Act (TSCA): This is an EPA registered pesticide.  
EPA Pesticide Registration Number: None established

FIFRA Listing of Pesticide Chemicals (40 CFR 180): This product is regulated under the Federal Insecticide, Fungicide and Rodenticide Act. It must be used for purposes consistent with its labeling.

**Superfund Amendments and Reauthorization Act (SARA) Title III:**

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health	Immediate (Acute) Health Hazard
Physical	Fire Hazard

**Emergency Planning & Community Right to Know (40 CFR 355, App. A):****Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:**

ZUS_SAR302	TPQ (threshold planning quantity)	None established
------------	-----------------------------------	------------------

**Reportable Quantity (49 CFR 172.101, Appendix):**

ZUS_CERCLA	Reportable quantity	None established
ZUS_SAR302	Reportable quantity	None established

**Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components**

ZUS_SAR313	De minimis concentration	None established
------------	--------------------------	------------------

**Clean Air Act Toxic ARP Section 112r:**

CAA 112R	None established
----------	------------------

**Clean Air Act Socmi:**

HON SOC None established

**Clean Air Act VOC Section 111:**

CAA 111 None established

**Clean Air Act Haz. Air Pollutants Section 112:**

ZUS\_CAAHAP None established

ZUS\_CAAHRP None established

CAA AP None established

**State Right-to-Know Regulations Status of Ingredients**
**Pennsylvania:**

CAS #	COMPONENT NAME
87-90-1	TRICHLORO-S-TRIAZINETRIONE
ZUSPA_RTK	

Pennsylvania: Hazardous substance list

1989-08-11

1,3,5-TRIAZINE-2,4,6(1H,3H,5H)-TRIONE, 1,3,5-TRICHLORO-

**New Jersey:**

CAS #	COMPONENT NAME
87-90-1	TRICHLORO-S-TRIAZINETRIONE
ZUSNJ_RTK	

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

 TRICHLOROISOCYANURIC ACID SYMCLOSENE 1,3,5-TRIAZINE-2,4,6(1H,3H,5H)-  
 TRIONE, 1,3,5-TRICHLORO-

Special Health Hazard - Reactive - Second Degree

**Massachusetts:**

CAS #	COMPONENT NAME
87-90-1	TRICHLORO-S-TRIAZINETRIONE
ZUSMA_RTK	

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24

TRICHLORO-S-TRIAZINETRIONE

**California Proposition 65:**

CAS #	COMPONENT NAME
-------	----------------

ZUSCA\_P65

None established

**WHMIS Hazard Classification:**

: : : : :

Ingredient Disclosure List (WHMIS)

2007-08-24

Threshold limits: 1 Weight percent

148

Trichloroisocyanuric acid

**16. OTHER INFORMATION**

MSDS REVISION STATUS :

SECTIONS REVISED: 15

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .